




2.4mm AV-WISELOCK™ Distal Radius and Volar Rim System



2.4mm AV-Wiselock Distal Radius and Volar Rim


New generation low profile distal radius plating system for fracture specific treatment.

Plate Features

- AV-Wiselock Variable Angle of $\pm 15^\circ$ in all directions in each screw hole.
- Pre-angled Variable Angle holes for oriented screw placement.
- Rounded edges and a smooth surface for soft tissue protection.
- Oblong hole enabling provisional plate positioning and dynamic compression across the fracture site.
- Universal Variable angle drill guides available for rapid and easy angulation of screws.
- K-wire holes to assist with temporary plate fixation.
- Provides anatomic reconstruction and angular stability across both radial and intermediate columns.

Indications

Intra-articular distal radius fractures, extra-articular distal radius fractures, volar rim and volar marginal shear fractures of the distal radius, comminuted distal radius fractures, osteoporotic distal radius fractures requiring angular stable fixation, corrective osteotomies of the distal radius, and malunion or non-union of distal radius fractures.



Anatomical Contour

Buttressing of distal fragments due to anatomically contoured plate



Variable angle locking

Allows guided drilling and screw insertion in the predefined nominal angle



Oblong AV-Wiselock Combi Hole

Plate positioning on the bone

Plates Available in


Titanium as per ISO 5832-3 and Stainless Steel as per ISO 5832-1





2.4mm AV-Wiselock Distal Radius Volar Plate, Extra-articular

- Left
- Right



5 Head Holes



Holes	Direction	Titanium	Stainless Steel
3	Left	11-043-03LTI	11-043-03LSS
3	Right	11-043-03RTI	11-043-03RSS
5	Left	11-043-05LTI	11-043-05LSS
5	Right	11-043-05RTI	11-043-05RSS

STERILE

Holes	Direction	Titanium	Stainless Steel
3	Left	11-043-03LTI-S	11-043-03LSS-S
3	Right	11-043-03RTI-S	11-043-03RSS-S
5	Left	11-043-05LTI-S	11-043-05LSS-S
5	Right	11-043-05RTI-S	11-043-05RSS-S

4 Head Holes





Holes	Direction	Titanium	Stainless Steel
3	Left	11-044-03LTI	11-044-03LSS
3	Right	11-044-03RTI	11-044-03RSS
5	Left	11-044-05LTI	11-044-05LSS
5	Right	11-044-05RTI	11-044-05RSS

STERILE


Holes	Direction	Titanium	Stainless Steel
3	Left	11-044-03LTI-S	11-044-03LSS-S
3	Right	11-044-03RTI-S	11-044-03RSS-S
5	Left	11-044-05LTI-S	11-044-05LSS-S
5	Right	11-044-05RTI-S	11-044-05RSS-S



2.4mm Variable Angle Two-Column Volar Distal Radius Plate




Width 19.5mm




Narrow, 6 Head Holes

Width 22mm



Standard, 6 Head Holes

Width 25.5mm



Wide, 7 Head Holes

Narrow

Holes	Direction	Titanium	Stainless Steel
2	Left	TI-546.002L	546.002L
2	Right	TI-546.002R	546.002R
3	Left	TI-546.003L	546.003L
3	Right	TI-546.003R	546.003R
4	Left	TI-546.004L	546.004L
4	Right	TI-546.004R	546.004R
5	Left	TI-546.005L	546.005L
5	Right	TI-546.005R	546.005R
6	Left	TI-546.006L	546.006L
6	Right	TI-546.006R	546.006R
7	Left	TI-546.007L	546.007L
7	Right	TI-546.007R	546.007R
8	Left	TI-546.008L	546.008L
8	Right	TI-546.008R	546.008R

Standard

Holes	Direction	Titanium	Stainless Steel
2	Left	TI-546.202L	546.202L
2	Right	TI-546.202R	546.202R
3	Left	TI-546.203L	546.203L
3	Right	TI-546.203R	546.203R
4	Left	TI-546.204L	546.204L
4	Right	TI-546.204R	546.204R
5	Left	TI-546.205L	546.205L
5	Right	TI-546.205R	546.205R
6	Left	TI-546.206L	546.206L
6	Right	TI-546.206R	546.206R
7	Left	TI-546.207L	546.207L
7	Right	TI-546.207R	546.207R
8	Left	TI-546.208L	546.208L
8	Right	TI-546.208R	546.208R

Wide

Holes	Direction	Titanium	Stainless Steel
2	Left	TI-548.002L	548.002L
2	Right	TI-548.002R	548.002R
3	Left	TI-548.003L	548.003L
3	Right	TI-548.003R	548.003R
4	Left	TI-548.004L	548.004L
4	Right	TI-548.004R	548.004R
5	Left	TI-548.005L	548.005L
5	Right	TI-548.005R	548.005R
6	Left	TI-548.006L	548.006L
6	Right	TI-548.006R	548.006R
7	Left	TI-548.007L	548.007L
7	Right	TI-548.007R	548.007R
8	Left	TI-548.008L	548.008L
8	Right	TI-548.008R	548.008R




2.4mm Variable Angle Two-Column Volar Distal Radius Plate

STERILE

- Left
- Right




Width 19.5mm



Narrow, 6 Head Holes

Width 22mm



Standard, 6 Head Holes

Narrow

Holes	Direction	Titanium	Stainless Steel
2	Left	TI-546.002L-S	546.002L-S
2	Right	TI-546.002R-S	546.002R-S
3	Left	TI-546.003L-S	546.003L-S
3	Right	TI-546.003R-S	546.003R-S
4	Left	TI-546.004L-S	546.004L-S
4	Right	TI-546.004R-S	546.004R-S
5	Left	TI-546.005L-S	546.005L-S
5	Right	TI-546.005R-S	546.005R-S
6	Left	TI-546.006L-S	546.006L-S
6	Right	TI-546.006R-S	546.006R-S
7	Left	TI-546.007L-S	546.007L-S
7	Right	TI-546.007R-S	546.007R-S
8	Left	TI-546.008L-S	546.008L-S
8	Right	TI-546.008R-S	546.008R-S

Standard

Holes	Direction	Titanium	Stainless Steel
2	Left	TI-546.202L-S	546.202L-S
2	Right	TI-546.202R-S	546.202R-S
3	Left	TI-546.203L-S	546.203L-S
3	Right	TI-546.203R-S	546.203R-S
4	Left	TI-546.204L-S	546.204L-S
4	Right	TI-546.204R-S	546.204R-S
5	Left	TI-546.205L-S	546.205L-S
5	Right	TI-546.205R-S	546.205R-S
6	Left	TI-546.206L-S	546.206L-S
6	Right	TI-546.206R-S	546.206R-S
7	Left	TI-546.207L-S	546.207L-S
7	Right	TI-546.207R-S	546.207R-S
8	Left	TI-546.208L-S	546.208L-S
8	Right	TI-546.208R-S	546.208R-S




2.4mm Variable Angle Two-Column Volar Distal Radius Plate

STERILE



Left
Right

Width 25.5mm



Wide, 7 Head Holes

Wide

Holes	Direction	Titanium	Stainless Steel
2	Left	TI-548.002L-S	548.002L-S
2	Right	TI-548.002R-S	548.002R-S
3	Left	TI-548.003L-S	548.003L-S
3	Right	TI-548.003R-S	548.003R-S
4	Left	TI-548.004L-S	548.004L-S
4	Right	TI-548.004R-S	548.004R-S
5	Left	TI-548.005L-S	548.005L-S
5	Right	TI-548.005R-S	548.005R-S
6	Left	TI-548.006L-S	548.006L-S
6	Right	TI-548.006R-S	548.006R-S
7	Left	TI-548.007L-S	548.007L-S
7	Right	TI-548.007R-S	548.007R-S
8	Left	TI-548.008L-S	548.008L-S
8	Right	TI-548.008R-S	548.008R-S



Aiming Block For Variable Angle Two-Column Volar Distal Radius Plate, Narrow



Holes	Direction	Width	Titanium	Stainless Steel
6	Left	19.5mm	TI-650-19.5L	650-19.5L
6	Right	19.5mm	TI-650-19.5R	650-19.5R

STERILE

Holes	Direction	Width	Titanium	Stainless Steel
6	Left	19.5mm	TI-650-19.5L-S	650-19.5L-S
6	Right	19.5mm	TI-650-19.5R-S	650-19.5R-S




Aiming Block For Variable Angle Two-Column Volar Distal Radius Plate, Standard



Holes	Direction	Width	Titanium	Stainless Steel
6	Left	22mm	TI-650-22L	650-22L
6	Right	22mm	TI-650-22R	650-22R

STERILE

Holes	Direction	Width	Titanium	Stainless Steel
6	Left	22mm	TI-650-22L-S	650-22L-S
6	Right	22mm	TI-650-22R-S	650-22R-S





Aiming Block For Variable Angle Two-Column Volar Distal Radius Plate, Wide



Holes	Direction	Width	Titanium	Stainless Steel
7	Left	25.5mm	TI-650-25.5L	650-25.5L
7	Right	25.5mm	TI-650-25.5R	650-25.5R

STERILE

Holes	Direction	Width	Titanium	Stainless Steel
7	Left	25.5mm	TI-650-25.5L-S	650-25.5L-S
7	Right	25.5mm	TI-650-25.5R-S	650-25.5R-S



Aiming Block Drill Sleeve



STERILE

Titanium	Stainless Steel	Titanium	Stainless Steel
TI-650-01	650-01	TI-650-01-S	650-01-S




Aiming Block Screw



STERILE

Titanium	Stainless Steel	Titanium	Stainless Steel
TI-650-02	650-02	TI-650-02-S	650-02-S






2.4mm Variable Angle Volar Rim Distal Radius Plate



Left



Right



6 HEAD HOLES

STERILE

Holes	Direction	Titanium	Stainless Steel
3	Left	TI-560-06-03L	560-06-03L
3	Right	TI-560-06-03R	560-06-03R
4	Left	TI-560-06-04L	560-06-04L
4	Right	TI-560-06-04R	560-06-04R
5	Left	TI-560-06-05L	560-06-05L
5	Right	TI-560-06-05R	560-06-05R
6	Left	TI-560-06-06L	560-06-06L
6	Right	TI-560-06-06R	560-06-06R
7	Left	TI-560-06-07L	560-06-07L
7	Right	TI-560-06-07R	560-06-07R
8	Left	TI-560-06-08L	560-06-08L
8	Right	TI-560-06-08R	560-06-08R

Holes	Direction	Titanium	Stainless Steel
3	Left	TI-560-06-03L-S	560-06-03L-S
3	Right	TI-560-06-03R-S	560-06-03R-S
4	Left	TI-560-06-04L-S	560-06-04L-S
4	Right	TI-560-06-04R-S	560-06-04R-S
5	Left	TI-560-06-05L-S	560-06-05L-S
5	Right	TI-560-06-05R-S	560-06-05R-S
6	Left	TI-560-06-06L-S	560-06-06L-S
6	Right	TI-560-06-06R-S	560-06-06R-S
7	Left	TI-560-06-07L-S	560-06-07L-S
7	Right	TI-560-06-07R-S	560-06-07R-S
8	Left	TI-560-06-08L-S	560-06-08L-S
8	Right	TI-560-06-08R-S	560-06-08R-S



7 HEAD HOLES

STERILE

Holes	Direction	Titanium	Stainless Steel
3	Left	TI-560-07-03L	560-07-03L
3	Right	TI-560-07-03R	560-07-03R
4	Left	TI-560-07-04L	560-07-04L
4	Right	TI-560-07-04R	560-07-04R
5	Left	TI-560-07-05L	560-07-05L
5	Right	TI-560-07-05R	560-07-05R
6	Left	TI-560-07-06L	560-07-06L
6	Right	TI-560-07-06R	560-07-06R
7	Left	TI-560-07-07L	560-07-07L
7	Right	TI-560-07-07R	560-07-07R
8	Left	TI-560-07-08L	560-07-08L
8	Right	TI-560-07-08R	560-07-08R

Holes	Direction	Titanium	Stainless Steel
3	Left	TI-560-07-03L-S	560-07-03L-S
3	Right	TI-560-07-03R-S	560-07-03R-S
4	Left	TI-560-07-04L-S	560-07-04L-S
4	Right	TI-560-07-04R-S	560-07-04R-S
5	Left	TI-560-07-05L-S	560-07-05L-S
5	Right	TI-560-07-05R-S	560-07-05R-S
6	Left	TI-560-07-06L-S	560-07-06L-S
6	Right	TI-560-07-06R-S	560-07-06R-S
7	Left	TI-560-07-07L-S	560-07-07L-S
7	Right	TI-560-07-07R-S	560-07-07R-S
8	Left	TI-560-07-08L-S	560-07-08L-S
8	Right	TI-560-07-08R-S	560-07-08R-S



Aiming Block For Variable Angle Volar Rim Distal Radius Plate, 6 Head Holes



STERILE

Direction	Titanium	Stainless Steel
Left	TI-651-06L	651-06L
Right	TI-651-06R	651-06R

Direction	Titanium	Stainless Steel
Left	TI-651-06L-S	651-06L-S
Right	TI-651-06R-S	651-06R-S



Aiming Block For Variable Angle Volar Rim Distal Radius Plate, 7 Head Holes



STERILE

Direction	Titanium	Stainless Steel
Left	TI-651-07L	651-07L
Right	TI-651-07R	651-07R

Direction	Titanium	Stainless Steel
Left	TI-651-07L-S	651-07L-S
Right	TI-651-07R-S	651-07R-S



Aiming Block Drill Sleeve



STERILE

Titanium	Stainless Steel
TI-650-01	650-01

Titanium	Stainless Steel
TI-650-01-S	650-01-S



Aiming Block Screw



STERILE

Titanium	Stainless Steel
TI-650-02	650-02

Titanium	Stainless Steel
TI-650-02-S	650-02-S





SCREWS



2.4mm Variable Angle Screw, Self-Tapping, (Star Head)



Dia	Length	Titanium	Stainless Steel
Ø2.4	6mm	TI-549.006	549.006
Ø2.4	8mm	TI-549.008	549.008
Ø2.4	10mm	TI-549.010	549.010
Ø2.4	12mm	TI-549.012	549.012
Ø2.4	14mm	TI-549.014	549.014
Ø2.4	16mm	TI-549.016	549.016
Ø2.4	18mm	TI-549.018	549.018
Ø2.4	20mm	TI-549.020	549.020
Ø2.4	22mm	TI-549.022	549.022
Ø2.4	24mm	TI-549.024	549.024
Ø2.4	26mm	TI-549.026	549.026
Ø2.4	28mm	TI-549.028	549.028
Ø2.4	30mm	TI-549.030	549.030



STERILE

Dia	Length	Titanium	Stainless Steel
Ø2.4	6mm	TI-549.006-S	549.006-S
Ø2.4	8mm	TI-549.008-S	549.008-S
Ø2.4	10mm	TI-549.010-S	549.010-S
Ø2.4	12mm	TI-549.012-S	549.012-S
Ø2.4	14mm	TI-549.014-S	549.014-S
Ø2.4	16mm	TI-549.016-S	549.016-S
Ø2.4	18mm	TI-549.018-S	549.018-S
Ø2.4	20mm	TI-549.020-S	549.020-S
Ø2.4	22mm	TI-549.022-S	549.022-S
Ø2.4	24mm	TI-549.024-S	549.024-S
Ø2.4	26mm	TI-549.026-S	549.026-S
Ø2.4	28mm	TI-549.028-S	549.028-S
Ø2.4	30mm	TI-549.030-S	549.030-S

2.4mm Wise-Lock Screw, Self-Tapping, (Star Head)



Dia	Length	Titanium	Stainless Steel
Ø2.4	6mm	TI-1145.06	1145.06
Ø2.4	8mm	TI-1145.08	1145.08
Ø2.4	10mm	TI-1145.10	1145.10
Ø2.4	12mm	TI-1145.12	1145.12
Ø2.4	14mm	TI-1145.14	1145.14
Ø2.4	16mm	TI-1145.16	1145.16
Ø2.4	18mm	TI-1145.18	1145.18
Ø2.4	20mm	TI-1145.20	1145.20
Ø2.4	22mm	TI-1145.22	1145.22
Ø2.4	24mm	TI-1145.24	1145.24
Ø2.4	26mm	TI-1145.26	1145.26
Ø2.4	28mm	TI-1145.28	1145.28
Ø2.4	30mm	TI-1145.30	1145.30



STERILE

Dia	Length	Titanium	Stainless Steel
Ø2.4	6mm	TI-1145.06-S	1145.06-S
Ø2.4	8mm	TI-1145.08-S	1145.08-S
Ø2.4	10mm	TI-1145.10-S	1145.10-S
Ø2.4	12mm	TI-1145.12-S	1145.12-S
Ø2.4	14mm	TI-1145.14-S	1145.14-S
Ø2.4	16mm	TI-1145.16-S	1145.16-S
Ø2.4	18mm	TI-1145.18-S	1145.18-S
Ø2.4	20mm	TI-1145.20-S	1145.20-S
Ø2.4	22mm	TI-1145.22-S	1145.22-S
Ø2.4	24mm	TI-1145.24-S	1145.24-S
Ø2.4	26mm	TI-1145.26-S	1145.26-S
Ø2.4	28mm	TI-1145.28-S	1145.28-S
Ø2.4	30mm	TI-1145.30-S	1145.30-S



2.4mm Cortical Screws, Self-Tapping, (Star Head)



STERILE

Dia	Length	Titanium	Stainless Steel
Ø2.4	6mm	TI-1144.06	1144.06
Ø2.4	8mm	TI-1144.08	1144.08
Ø2.4	10mm	TI-1144.10	1144.10
Ø2.4	12mm	TI-1144.12	1144.12
Ø2.4	14mm	TI-1144.14	1144.14
Ø2.4	16mm	TI-1144.16	1144.16
Ø2.4	18mm	TI-1144.18	1144.18
Ø2.4	20mm	TI-1144.20	1144.20
Ø2.4	22mm	TI-1144.22	1144.22
Ø2.4	24mm	TI-1144.24	1144.24
Ø2.4	26mm	TI-1144.26	1144.26
Ø2.4	28mm	TI-1144.28	1144.28
Ø2.4	30mm	TI-1144.30	1144.30



Dia	Length	Titanium	Stainless Steel
Ø2.4	6mm	TI-1144.06-S	1144.06-S
Ø2.4	8mm	TI-1144.08-S	1144.08-S
Ø2.4	10mm	TI-1144.10-S	1144.10-S
Ø2.4	12mm	TI-1144.12-S	1144.12-S
Ø2.4	14mm	TI-1144.14-S	1144.14-S
Ø2.4	16mm	TI-1144.16-S	1144.16-S
Ø2.4	18mm	TI-1144.18-S	1144.18-S
Ø2.4	20mm	TI-1144.20-S	1144.20-S
Ø2.4	22mm	TI-1144.22-S	1144.22-S
Ø2.4	24mm	TI-1144.24-S	1144.24-S
Ø2.4	26mm	TI-1144.26-S	1144.26-S
Ø2.4	28mm	TI-1144.28-S	1144.28-S
Ø2.4	30mm	TI-1144.30-S	1144.30-S

2.7mm Cortical Screw, Self-Tapping, (Star Head)




STERILE

Dia	Length	Titanium	Stainless Steel
Ø2.7	6mm	TI-1242.06	1242.06
Ø2.7	8mm	TI-1242.08	1242.08
Ø2.7	10mm	TI-1242.10	1242.10
Ø2.7	12mm	TI-1242.12	1242.12
Ø2.7	14mm	TI-1242.14	1242.14
Ø2.7	16mm	TI-1242.16	1242.16
Ø2.7	18mm	TI-1242.18	1242.18
Ø2.7	20mm	TI-1242.20	1242.20
Ø2.7	22mm	TI-1242.22	1242.22
Ø2.7	24mm	TI-1242.24	1242.24
Ø2.7	26mm	TI-1242.26	1242.26
Ø2.7	28mm	TI-1242.28	1242.28
Ø2.7	30mm	TI-1242.30	1242.30



Dia	Length	Titanium	Stainless Steel
Ø2.7	6mm	TI-1242.06-S	1242.06-S
Ø2.7	8mm	TI-1242.08-S	1242.08-S
Ø2.7	10mm	TI-1242.10-S	1242.10-S
Ø2.7	12mm	TI-1242.12-S	1242.12-S
Ø2.7	14mm	TI-1242.14-S	1242.14-S
Ø2.7	16mm	TI-1242.16-S	1242.16-S
Ø2.7	18mm	TI-1242.18-S	1242.18-S
Ø2.7	20mm	TI-1242.20-S	1242.20-S
Ø2.7	22mm	TI-1242.22-S	1242.22-S
Ø2.7	24mm	TI-1242.24-S	1242.24-S
Ø2.7	26mm	TI-1242.26-S	1242.26-S
Ø2.7	28mm	TI-1242.28-S	1242.28-S
Ø2.7	30mm	TI-1242.30-S	1242.30-S

The background of the page features a series of thin, light gray wavy lines that flow across the top and bottom edges, creating a sense of movement and depth. The central area is a solid, light gray color.

INSTRUMENTS



1312-01

Depth Gauge measuring up to 60mm



1312-02

T-Handle With Quick Coupling




1312-03-15

Retractor, 15mm



1312-04-1.8

Drill Bit with Quick Coupling End, Ø1.8mm x Length 140mm



1312-05-2.0

Drill Bit with Quick Coupling End, Ø2.0mm x Length 140mm



1312-06-2.4

Drill Bit with Quick Coupling End, Ø2.4mm x Length 140mm





1312-07-2.7

Drill Bit with Quick Coupling End, Ø2.7mm x Length 140mm



1312-08-1.2

Guide Wire, Ø1.2mm x Length 150mm



1312-09-1.2

Guide Wire With Threaded Tip, Ø1.2mm x Thread Length 5mm x Length 150mm



1312-10-2.4

Tap, HA 2.4mm




1312-11-2.7

Tap, HA 2.7mm



1312-13-1.8

Threaded Drill Sleeve, 01.8/2.4mm (Double Start Thread)





1312-15

Self-Centering Double Drill Guide Ø1.8/2.4mm



1312-16

Self-Centering Double Drill Guide Ø2.0/2.7mm




1312-17

Depth Gauge with Protector measuring up to 50mm



1312-18

Star Screwdriver Shaft, T8



1312-21

Torque Limiting Attachment, 0.8Nm



7-019-03

Handle for Torque Limiting Attachment





1312-22-6.5

Retractor, 6.5mm



1312-23

Double Periosteal Elevator, Round




1312-24

Double Periosteal Elevator, Flat




1312-25

Reduction Forcep with Points, Small




1312-26

Reduction Forcep with Points, Large



1312-27

Reduction Forcep with Points, Serrated





1312-28

Bending Forcep



1312-30

Universal Variable Angle Drill Guide, Ø1.8mm



1312-20-2.7

Screw Holding Sleeve for Ø2.7mm Cortical Screw



1312-20-2.4

Screw Holding Sleeve for Ø2.4mm Cortical Screw



1312-30-2.4

Screw Holding Sleeve for Ø2.4mm Wise-lock Screw



1312-22

Quick Coupling Handle





1312-29

Sharp Hook




1312-31

Screwdriver Star Head



1312-35

Instrument trays for 2.4mm AV-Wislock Distal Radius Instrument



1312-34

Container for 2.4mm AV-Wislock Distal Radius Instrument





Optional Instruments

Recommended Instruments for 2.4 mm Distal Radius Volar Rim M Plate

1135-01

Double Drill Guide Ø1.5/1.1mm

**1135-04**

Drill Bit Quick Coupling Ø1.1mm x Length 75/61mm, 2-Flute

**1138-38**

Star Screwdriver for 1.5mm Screws - Hand & Foot System

**1138-14**

Depth Gauge measuring upto 30mm, for Hand & Foot System

**1135-08**

Screw Holding Sleeve for 1.5mm Cortical Screws






1312-000: 2.4mm **AV-Wiselock** Distal Radius Instrument Set





11-077

Implant Box with cover for 2.4mm AV-Wiselock Hand and Wrist - Arthrodesis System



11-051

Implant Box with cover for 2.4mm AV-Wiselock Distal Radius Dorsal & Extra-Articular System



1312-33

Implant Box with cover for 2.4mm Variable Angle Distal Radius system



11-114

Implant Box with cover for 2.4mm AV-Wiselock Distal Radius System (Low Profile)





IMPLANTS COMPOSITION

AV-Wiselock Distal Radius and Volar Rim System - Locking

Code	Item Description	Unit
	2.4mm AV-Wiselock Distal Radius Volar Plate, Extra-articular (5 Head Holes), Left, Titanium	
11-043-03LTI	2.4mm AV-Wiselock Distal Radius Volar Plate, Extra-articular, (5 Head Holes)- Left, 3 Holes, Titanium	1
11-043-05LTI	2.4mm AV-Wiselock Distal Radius Volar Plate, Extra-articular, (5 Head Holes)- Left, 5 Holes, Titanium	1
	2.4mm AV-Wiselock Distal Radius Volar Plate, Extra-articular (5 Head Holes), Right, Titanium	
11-043-03RTI	2.4mm AV-Wiselock Distal Radius Volar Plate, Extra-articular, (5 Head Holes)- Right, 3 Holes, Titanium	1
11-043-05RTI	2.4mm AV-Wiselock Distal Radius Volar Plate, Extra-articular, (5 Head Holes)- Right, 5 Holes, Titanium	1
	2.4mm AV-Wiselock Distal Radius Volar Plate, Extra-articular (4 Head Holes), Left, Titanium	
11-044-03LTI	2.4mm AV-Wiselock Distal Radius Volar Plate, Extra-articular, (4 Head Holes)- Left, 3 Holes, Titanium	1
11-044-05LTI	2.4mm AV-Wiselock Distal Radius Volar Plate, Extra-articular, (4 Head Holes)- Left, 5 Holes, Titanium	1
	2.4mm AV-Wiselock Distal Radius Volar Plate, Extra-articular (4 Head Holes), Right, Titanium	
11-044-03RTI	2.4mm AV-Wiselock Distal Radius Volar Plate, Extra-articular, (4 Head Holes)- Right, 3 Holes, Titanium	1
11-044-05RTI	2.4mm AV-Wiselock Distal Radius Volar Plate, Extra-articular, (4 Head Holes)- Right, 5 Holes, Titanium	1
	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Narrow, 6 Head Holes, Width 19.5mm, Left, Titanium	
TI-546.002L	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Narrow, 6 Head Holes, Width 19.5mm, 2 Shaft Holes, Left, Titanium	1
TI-546.003L	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Narrow, 6 Head Holes, Width 19.5mm, 3 Shaft Holes, Left, Titanium	1
TI-546.004L	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Narrow, 6 Head Holes, Width 19.5mm, 4 Shaft Holes, Left, Titanium	1
TI-546.005L	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Narrow, 6 Head Holes, Width 19.5mm, 5 Shaft Holes, Left, Titanium	1
TI-546.006L	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Narrow, 6 Head Holes, Width 19.5mm, 6 Shaft Holes, Left, Titanium	1
TI-546.007L	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Narrow, 6 Head Holes, Width 19.5mm, 7 Shaft Holes, Left, Titanium	1
TI-546.008L	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Narrow, 6 Head Holes, Width 19.5mm, 8 Shaft Holes, Left, Titanium	1
	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Narrow, 6 Head Holes, Width 19.5mm, Right, Titanium	
TI-546.002R	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Narrow, 6 Head Holes, Width 19.5mm, 2 Shaft Holes, Right, Titanium	1
TI-546.003R	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Narrow, 6 Head Holes, Width 19.5mm, 3 Shaft Holes, Right, Titanium	1
TI-546.004R	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Narrow, 6 Head Holes, Width 19.5mm, 4 Shaft Holes, Right, Titanium	1
TI-546.005R	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Narrow, 6 Head Holes, Width 19.5mm, 5 Shaft Holes, Right, Titanium	1
TI-546.006R	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Narrow, 6 Head Holes, Width 19.5mm, 6 Shaft Holes, Right, Titanium	1
TI-546.007R	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Narrow, 6 Head Holes, Width 19.5mm, 7 Shaft Holes, Right, Titanium	1
TI-546.008R	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Narrow, 6 Head Holes, Width 19.5mm, 8 Shaft Holes, Right, Titanium	1



IMPLANTS COMPOSITION

AV-Wiselock Distal Radius and Volar Rim System - Locking

Code	Item Description	Unit
	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Standard, 6 Head Holes, Width 22mm, Left, Titanium	
TI-546.202L	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Standard, 6 Head Holes, Width 22mm, 2 Shaft Holes, Left, Titanium	1
TI-546.203L	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Standard, 6 Head Holes, Width 22mm, 3 Shaft Holes, Left, Titanium	1
TI-546.204L	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Standard, 6 Head Holes, Width 22mm, 4 Shaft Holes, Left, Titanium	1
TI-546.205L	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Standard, 6 Head Holes, Width 22mm, 5 Shaft Holes, Left, Titanium	1
TI-546.206L	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Standard, 6 Head Holes, Width 22mm, 6 Shaft Holes, Left, Titanium	1
TI-546.207L	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Standard, 6 Head Holes, Width 22mm, 7 Shaft Holes, Left, Titanium	1
TI-546.208L	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Standard, 6 Head Holes, Width 22mm, 8 Shaft Holes, Left, Titanium	1
	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Standard, 6 Head Holes, Width 22mm, Right, Titanium	
TI-546.202R	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Standard, 6 Head Holes, Width 22mm, 2 Shaft Holes, Right, Titanium	1
TI-546.203R	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Standard, 6 Head Holes, Width 22mm, 3 Shaft Holes, Right, Titanium	1
TI-546.204R	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Standard, 6 Head Holes, Width 22mm, 4 Shaft Holes, Right, Titanium	1
TI-546.205R	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Standard, 6 Head Holes, Width 22mm, 5 Shaft Holes, Right, Titanium	1
TI-546.206R	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Standard, 6 Head Holes, Width 22mm, 6 Shaft Holes, Right, Titanium	1
TI-546.207R	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Standard, 6 Head Holes, Width 22mm, 7 Shaft Holes, Right, Titanium	1
TI-546.208R	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Standard, 6 Head Holes, Width 22mm, 8 Shaft Holes, Right, Titanium	1



IMPLANTS COMPOSITION

AV-Wiselock Distal Radius and Volar Rim System - Locking

Code	Item Description	Unit
	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Wide, 7 Head Holes, Width 25.5mm, Left, Titanium	
TI-548.002L	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Wide, 7 Head Holes, Width 25.5mm, 2 Shaft Holes, Left, Titanium	1
TI-548.003L	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Wide, 7 Head Holes, Width 25.5mm, 3 Shaft Holes, Left, Titanium	1
TI-548.004L	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Wide, 7 Head Holes, Width 25.5mm, 4 Shaft Holes, Left, Titanium	1
TI-548.005L	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Wide, 7 Head Holes, Width 25.5mm, 5 Shaft Holes, Left, Titanium	1
TI-548.006L	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Wide, 7 Head Holes, Width 25.5mm, 6 Shaft Holes, Left, Titanium	1
TI-548.007L	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Wide, 7 Head Holes, Width 25.5mm, 7 Shaft Holes, Left, Titanium	1
TI-548.008L	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Wide, 7 Head Holes, Width 25.5mm, 8 Shaft Holes, Left, Titanium	1
	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Wide, 7 Head Holes, Width 25.5mm, Right, Titanium	
TI-548.002R	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Wide, 7 Head Holes, Width 25.5mm, 2 Shaft Holes, Right, Titanium	1
TI-548.003R	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Wide, 7 Head Holes, Width 25.5mm, 3 Shaft Holes, Right, Titanium	1
TI-548.004R	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Wide, 7 Head Holes, Width 25.5mm, 4 Shaft Holes, Right, Titanium	1
TI-548.005R	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Wide, 7 Head Holes, Width 25.5mm, 5 Shaft Holes, Right, Titanium	1
TI-548.006R	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Wide, 7 Head Holes, Width 25.5mm, 6 Shaft Holes, Right, Titanium	1
TI-548.007R	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Wide, 7 Head Holes, Width 25.5mm, 7 Shaft Holes, Right, Titanium	1
TI-548.008R	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Wide, 7 Head Holes, Width 25.5mm, 8 Shaft Holes, Right, Titanium	1
	Aiming Block For Variable Angle Two-Column Volar Distal Radius Plate, Narrow, 6 Head Holes, 19.5mm, Titanium	
TI-650-19.5L	Aiming Block For Variable Angle Two-Column Volar Distal Radius Plate, Narrow, 6 Head Holes, 19.5mm, Left, Titanium	2
TI-650-19.5R	Aiming Block For Variable Angle Two-Column Volar Distal Radius Plate, Narrow, 6 Head Holes, 19.5mm, Right, Titanium	2



IMPLANTS COMPOSITION

AV-Wiselock Distal Radius and Volar Rim System - Locking

Code	Item Description	Unit
	Aiming Block For Variable Angle Two-Column Volar Distal Radius Plate, Standard, Width 22mm, Titanium	
TI-650-22L	Aiming Block For Variable Angle Two-Column Volar Distal Radius Plate, Standard, 6 Head Holes, 22mm, Left, Titanium	2
TI-650-22R	Aiming Block For Variable Angle Two-Column Volar Distal Radius Plate, Standard, 6 Head Holes, 22mm, Right, Titanium	2
	Aiming Block For Variable Angle Two-Column Volar Distal Radius Plate, Wide, 7 Head Holes, 25.5mm, Titanium	
TI-650-25.5L	Aiming Block For Variable Angle Two-Column Volar Distal Radius Plate, 7 Head Holes, Wide, 25.5mm, Left, Titanium	2
TI-650-25.5R	Aiming Block For Variable Angle Two-Column Volar Distal Radius Plate, 7 Head Holes, Wide, 25.5mm, Right, Titanium	2
	Aiming Block Drill Sleeve	
TI-650-01	Aiming Block Drill Sleeve	2
	Aiming Block Screw	
TI-650-02	Aiming Block Screw	2



SCREWS COMPOSITION

Code	Item Description	Unit
	2.4mm Variable Angle Angle Screws, Self-Tapping, (Star Head), Titanium	
TI-549.006	2.4mm Variable Angle Angle Screws, Self-Tapping, (Star Head), Length 6mm, Titanium	6
TI-549.008	2.4mm Variable Angle Angle Screws, Self-Tapping, (Star Head), Length 8mm, Titanium	6
TI-549.010	2.4mm Variable Angle Angle Screws, Self-Tapping, (Star Head), Length 10mm, Titanium	6
TI-549.012	2.4mm Variable Angle Angle Screws, Self-Tapping, (Star Head), Length 12mm, Titanium	6
TI-549.014	2.4mm Variable Angle Angle Screws, Self-Tapping, (Star Head), Length 14mm, Titanium	6
TI-549.016	2.4mm Variable Angle Angle Screws, Self-Tapping, (Star Head), Length 16mm, Titanium	6
TI-549.018	2.4mm Variable Angle Angle Screws, Self-Tapping, (Star Head), Length 18mm, Titanium	6
TI-549.020	2.4mm Variable Angle Angle Screws, Self-Tapping, (Star Head), Length 20mm, Titanium	6
TI-549.022	2.4mm Variable Angle Angle Screws, Self-Tapping, (Star Head), Length 22mm, Titanium	6
TI-549.024	2.4mm Variable Angle Angle Screws, Self-Tapping, (Star Head), Length 24mm, Titanium	6
TI-549.026	2.4mm Variable Angle Angle Screws, Self-Tapping, (Star Head), Length 26mm, Titanium	6
TI-549.028	2.4mm Variable Angle Angle Screws, Self-Tapping, (Star Head), Length 28mm, Titanium	6
TI-549.030	2.4mm Variable Angle Angle Screws, Self-Tapping, (Star Head), Length 30mm, Titanium	6
	2.4mm Wise-Lock Screw, Self-Tapping, (Star Head), Titanium	
TI-1145.06	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 6mm, Titanium	6
TI-1145.08	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 8mm, Titanium	6
TI-1145.10	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 10mm, Titanium	6
TI-1145.12	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 12mm, Titanium	6
TI-1145.14	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 14mm, Titanium	6
TI-1145.16	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 16mm, Titanium	6
TI-1145.18	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 18mm, Titanium	6
TI-1145.20	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 20mm, Titanium	6
TI-1145.22	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 22mm, Titanium	6
TI-1145.24	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 24mm, Titanium	6
TI-1145.26	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 26mm, Titanium	6
TI-1145.28	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 28mm, Titanium	6
TI-1145.30	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 30mm, Titanium	6
	2.4mm Cortical Screws, Self-Tapping, (Star Head), Titanium	
TI-1144.06	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 6mm, Titanium	3
TI-1144.08	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 8mm, Titanium	3
TI-1144.10	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 10mm, Titanium	3
TI-1144.12	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 12mm, Titanium	3
TI-1144.14	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 14mm, Titanium	3
TI-1144.16	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 16mm, Titanium	3
TI-1144.18	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 18mm, Titanium	3
TI-1144.20	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 20mm, Titanium	3
TI-1144.22	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 22mm, Titanium	3
TI-1144.24	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 24mm, Titanium	3
TI-1144.26	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 26mm, Titanium	3
TI-1144.28	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 28mm, Titanium	3
TI-1144.30	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 30mm, Titanium	3



Code	Item Description	Unit
	2.7mm Cortical Screws, Self-Tapping, (Star Head), Titanium	
TI-1242.06	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 6mm, Titanium	3
TI-1242.08	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 8mm, Titanium	3
TI-1242.10	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 10mm, Titanium	3
TI-1242.12	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 12mm, Titanium	3
TI-1242.14	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 14mm, Titanium	3
TI-1242.16	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 16mm, Titanium	3
TI-1242.18	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 18mm, Titanium	3
TI-1242.20	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 20mm, Titanium	3
TI-1242.22	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 22mm, Titanium	3
TI-1242.24	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 24mm, Titanium	3
TI-1242.26	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 26mm, Titanium	3
TI-1242.28	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 28mm, Titanium	3
TI-1242.30	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 30mm, Titanium	3
1312-33	Implant Box with cover for 2.4mm Variable Angle Distal Radius System	1



IMPLANT COMPOSITION

Code	Item Description	Unit
	2.4mm AV-Wiselock Distal Radius Volar Plate, Extra-articular (5 Head Holes), Left, Stainless Steel	
11-043-03LSS	2.4mm AV-Wiselock Distal Radius Volar Plate, Extra-articular, (5 Head Holes)- Left, 3 Holes, Stainless Steel	1
11-043-05LSS	2.4mm AV-Wiselock Distal Radius Volar Plate, Extra-articular, (5 Head Holes)- Left, 5 Holes, Stainless Steel	1
	2.4mm AV-Wiselock Distal Radius Volar Plate, Extra-articular (5 Head Holes), Right, Stainless Steel	
11-043-03RSS	2.4mm AV-Wiselock Distal Radius Volar Plate, Extra-articular, (5 Head Holes)- Right, 3 Holes, Stainless Steel	1
11-043-05RSS	2.4mm AV-Wiselock Distal Radius Volar Plate, Extra-articular, (5 Head Holes)- Right, 5 Holes, Stainless Steel	1
	2.4mm AV-Wiselock Distal Radius Volar Plate, Extra-articular (4 Head Holes), Left, Stainless Steel	
11-044-03LSS	2.4mm AV-Wiselock Distal Radius Volar Plate, Extra-articular, (4 Head Holes)- Left, 3 Holes, Stainless Steel	1
11-044-05LSS	2.4mm AV-Wiselock Distal Radius Volar Plate, Extra-articular, (4 Head Holes)- Left, 5 Holes, Stainless Steel	1
	2.4mm AV-Wiselock Distal Radius Volar Plate, Extra-articular (4 Head Holes), Right, Stainless Steel	
11-044-03RSS	2.4mm AV-Wiselock Distal Radius Volar Plate, Extra-articular, (4 Head Holes)- Right, 3 Holes, Stainless Steel	1
11-044-05RSS	2.4mm AV-Wiselock Distal Radius Volar Plate, Extra-articular, (4 Head Holes)- Right, 5 Holes, Stainless Steel	1
	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Narrow, 6 Head Holes, Width 19.5mm, Left, Stainless Steel	
546.002L	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Narrow, 6 Head Holes, Width 19.5mm, 2 Shaft Holes, Left, Stainless Steel	1
546.003L	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Narrow, 6 Head Holes, Width 19.5mm, 3 Shaft Holes, Left, Stainless Steel	1
546.004L	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Narrow, 6 Head Holes, Width 19.5mm, 4 Shaft Holes, Left, Stainless Steel	1
546.005L	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Narrow, 6 Head Holes, Width 19.5mm, 5 Shaft Holes, Left, Stainless Steel	1
546.006L	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Narrow, 6 Head Holes, Width 19.5mm, 6 Shaft Holes, Left, Stainless Steel	1
546.007L	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Narrow, 6 Head Holes, Width 19.5mm, 7 Shaft Holes, Left, Stainless Steel	1
546.008L	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Narrow, 6 Head Holes, Width 19.5mm, 8 Shaft Holes, Left, Stainless Steel	1
	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Narrow, 6 Head Holes, Width 19.5mm, Right, Stainless Steel	
546.002R	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Narrow, 6 Head Holes, Width 19.5mm, 2 Shaft Holes, Right, Stainless Steel	1
546.003R	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Narrow, 6 Head Holes, Width 19.5mm, 3 Shaft Holes, Right, Stainless Steel	1
546.004R	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Narrow, 6 Head Holes, Width 19.5mm, 4 Shaft Holes, Right, Stainless Steel	1
546.005R	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Narrow, 6 Head Holes, Width 19.5mm, 5 Shaft Holes, Right, Stainless Steel	1
546.006R	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Narrow, 6 Head Holes, Width 19.5mm, 6 Shaft Holes, Right, Stainless Steel	1
546.007R	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Narrow, 6 Head Holes, Width 19.5mm, 7 Shaft Holes, Right, Stainless Steel	1
546.008R	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Narrow, 6 Head Holes, Width 19.5mm, 8 Shaft Holes, Right, Stainless Steel	1



IMPLANT COMPOSITION

Code	Item Description	Unit
	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Standard, 6 Head Holes, Width 22mm, Left, Stainless Steel	
546.202L	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Standard, 6 Head Holes, Width 22mm, 2 Shaft Holes, Left, Stainless Steel	1
546.203L	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Standard, 6 Head Holes, Width 22mm, 3 Shaft Holes, Left, Stainless Steel	1
546.204L	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Standard, 6 Head Holes, Width 22mm, 4 Shaft Holes, Left, Stainless Steel	1
546.205L	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Standard, 6 Head Holes, Width 22mm, 5 Shaft Holes, Left, Stainless Steel	1
546.206L	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Standard, 6 Head Holes, Width 22mm, 6 Shaft Holes, Left, Stainless Steel	1
546.207L	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Standard, 6 Head Holes, Width 22mm, 7 Shaft Holes, Left, Stainless Steel	1
546.208L	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Standard, 6 Head Holes, Width 22mm, 8 Shaft Holes, Left, Stainless Steel	1
	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Standard, 6 Head Holes, Width 22mm, Right, Stainless Steel	
546.202R	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Standard, 6 Head Holes, Width 22mm, 2 Shaft Holes, Right, Stainless Steel	1
546.203R	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Standard, 6 Head Holes, Width 22mm, 3 Shaft Holes, Right, Stainless Steel	1
546.204R	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Standard, 6 Head Holes, Width 22mm, 4 Shaft Holes, Right, Stainless Steel	1
546.205R	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Standard, 6 Head Holes, Width 22mm, 5 Shaft Holes, Right, Stainless Steel	1
546.206R	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Standard, 6 Head Holes, Width 22mm, 6 Shaft Holes, Right, Stainless Steel	1
546.207R	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Standard, 6 Head Holes, Width 22mm, 7 Shaft Holes, Right, Stainless Steel	1
546.208R	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Standard, 6 Head Holes, Width 22mm, 8 Shaft Holes, Right, Stainless Steel	1
	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Wide, 7 Head Holes, Width 25.5mm, Left, Stainless Steel	
548.002L	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Wide, 7 Head Holes, Width 25.5mm, 2 Shaft Holes, Left, Stainless Steel	1
548.003L	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Wide, 7 Head Holes, Width 25.5mm, 3 Shaft Holes, Left, Stainless Steel	1
548.004L	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Wide, 7 Head Holes, Width 25.5mm, 4 Shaft Holes, Left, Stainless Steel	1
548.005L	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Wide, 7 Head Holes, Width 25.5mm, 5 Shaft Holes, Left, Stainless Steel	1
548.006L	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Wide, 7 Head Holes, Width 25.5mm, 6 Shaft Holes, Left, Stainless Steel	1
548.007L	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Wide, 7 Head Holes, Width 25.5mm, 7 Shaft Holes, Left, Stainless Steel	1
548.008L	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Wide, 7 Head Holes, Width 25.5mm, 8 Shaft Holes, Left, Stainless Steel	1



IMPLANT COMPOSITION

Code	Item Description	Unit
	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Wide, 7 Head Holes, Width 25.5mm, Right, Stainless Steel	
546.002L	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Wide, 7 Head Holes, Width 25.5mm, 2 Shaft Holes, Right, Stainless Steel	1
546.003L	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Wide, 7 Head Holes, Width 25.5mm, 3 Shaft Holes, Right, Stainless Steel	1
546.004L	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Wide, 7 Head Holes, Width 25.5mm, 4 Shaft Holes, Right, Stainless Steel	1
546.005L	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Wide, 7 Head Holes, Width 25.5mm, 5 Shaft Holes, Right, Stainless Steel	1
546.006L	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Wide, 7 Head Holes, Width 25.5mm, 6 Shaft Holes, Right, Stainless Steel	1
546.007L	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Wide, 7 Head Holes, Width 25.5mm, 7 Shaft Holes, Right, Stainless Steel	1
546.008L	2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Wide, 7 Head Holes, Width 25.5mm, 8 Shaft Holes, Right, Stainless Steel	1
	Aiming Block For Variable Angle Two-Column Volar Distal Radius Plate, Narrow, 6 Head Holes, 19.5mm, Stainless Steel	
650-19.5L	Aiming Block For Variable Angle Two-Column Volar Distal Radius Plate, Narrow, 6 Head Holes, 19.5mm, Left, Stainless Steel	2
650-19.5R	Aiming Block For Variable Angle Two-Column Volar Distal Radius Plate, Narrow, 6 Head Holes, 19.5mm, Right, Stainless Steel	2
	Aiming Block For Variable Angle Two-Column Volar Distal Radius Plate, Standard, 6 Head Holes, Width 22mm, Stainless Steel	
650-22L	Aiming Block For Variable Angle Two-Column Volar Distal Radius Plate, Standard, 6 Head Holes, 22mm, Left, Stainless Steel	2
650-22R	Aiming Block For Variable Angle Two-Column Volar Distal Radius Plate, Standard, 6 Head Holes, 22mm, Right, Stainless Steel	2
	Aiming Block For Variable Angle Two-Column Volar Distal Radius Plate, Wide, 7 Head Holes, 25.5mm, Stainless Steel	
650-25.5L	Aiming Block For Variable Angle Two-Column Volar Distal Radius Plate, 7 Head Holes, Wide, 25.5mm, Left, Stainless Steel	2
650-25.5R	Aiming Block For Variable Angle Two-Column Volar Distal Radius Plate, 7 Head Holes, Wide, 25.5mm, Right, Stainless Steel	2
	Aiming Block Drill Sleeve	
650-01	Aiming Block Drill Sleeve	2
	Aiming Block Screw	
650-02	Aiming Block Screw	5



SCREWS COMPOSITION

Code	Item Description	Unit
	2.4mm Variable Angle Angle Screws, Self-Tapping, (Star Head), Stainless Steel	
549.006	2.4mm Variable Angle Angle Screws, Self-Tapping, (Star Head), Length 6mm, Stainless Steel	6
549.008	2.4mm Variable Angle Angle Screws, Self-Tapping, (Star Head), Length 8mm, Stainless Steel	6
549.010	2.4mm Variable Angle Angle Screws, Self-Tapping, (Star Head), Length 10mm, Stainless Steel	6
549.012	2.4mm Variable Angle Angle Screws, Self-Tapping, (Star Head), Length 12mm, Stainless Steel	6
549.014	2.4mm Variable Angle Angle Screws, Self-Tapping, (Star Head), Length 14mm, Stainless Steel	6
549.016	2.4mm Variable Angle Angle Screws, Self-Tapping, (Star Head), Length 16mm, Stainless Steel	6
549.018	2.4mm Variable Angle Angle Screws, Self-Tapping, (Star Head), Length 18mm, Stainless Steel	6
549.020	2.4mm Variable Angle Angle Screws, Self-Tapping, (Star Head), Length 20mm, Stainless Steel	6
549.022	2.4mm Variable Angle Angle Screws, Self-Tapping, (Star Head), Length 22mm, Stainless Steel	6
549.024	2.4mm Variable Angle Angle Screws, Self-Tapping, (Star Head), Length 24mm, Stainless Steel	6
549.026	2.4mm Variable Angle Angle Screws, Self-Tapping, (Star Head), Length 26mm, Stainless Steel	6
549.028	2.4mm Variable Angle Angle Screws, Self-Tapping, (Star Head), Length 28mm, Stainless Steel	6
549.030	2.4mm Variable Angle Angle Screws, Self-Tapping, (Star Head), Length 30mm, Stainless Steel	6
	2.4mm Wise-Lock Screw, Self-Tapping, (Star Head), Stainless Steel	
1145.06	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 6mm, Stainless Steel	6
1145.08	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 8mm, Stainless Steel	6
1145.10	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 10mm, Stainless Steel	6
1145.12	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 12mm, Stainless Steel	6
1145.14	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 14mm, Stainless Steel	6
1145.16	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 16mm, Stainless Steel	6
1145.18	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 18mm, Stainless Steel	6
1145.20	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 20mm, Stainless Steel	6
1145.22	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 22mm, Stainless Steel	6
1145.24	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 24mm, Stainless Steel	6
1145.26	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 26mm, Stainless Steel	6
1145.28	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 28mm, Stainless Steel	6
1145.30	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 30mm, Stainless Steel	6
	2.4mm Cortical Screws, Self-Tapping, (Star Head), Stainless Steel	
1144.06	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 6mm, Stainless Steel	3
1144.08	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 8mm, Stainless Steel	3
1144.10	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 10mm, Stainless Steel	3
1144.12	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 12mm, Stainless Steel	3
1144.14	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 14mm, Stainless Steel	3
1144.16	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 16mm, Stainless Steel	3
1144.18	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 18mm, Stainless Steel	3
1144.20	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 20mm, Stainless Steel	3
1144.22	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 22mm, Stainless Steel	3
1144.24	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 24mm, Stainless Steel	3
1144.26	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 26mm, Stainless Steel	3
1144.28	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 28mm, Stainless Steel	3
1144.30	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 30mm, Stainless Steel	3



SCREWS COMPOSITION

Code	Item Description	Unit
	2.7mm Cortical Screws, Self-Tapping, (Star Head), Stainless Steel	
1242.06	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 6mm, Stainless Steel	3
1242.08	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 8mm, Stainless Steel	3
1242.10	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 10mm, Stainless Steel	3
1242.12	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 12mm, Stainless Steel	3
1242.14	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 14mm, Stainless Steel	3
1242.16	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 16mm, Stainless Steel	3
1242.18	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 18mm, Stainless Steel	3
1242.20	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 20mm, Stainless Steel	3
1242.22	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 22mm, Stainless Steel	3
1242.24	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 24mm, Stainless Steel	3
1242.26	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 26mm, Stainless Steel	3
1242.28	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 28mm, Stainless Steel	3
1242.30	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 30mm, Stainless Steel	3
1312-33	Implant Box with cover for 2.4mm Variable Angle Distal Radius System	1



IMPLANT COMPOSITION

Code	Item Description	Unit
	2.4mm Variable Angle Volar Rim Distal Radius Plate, (6 Head Holes), Left, Titanium	
TI-560-06-03L	2.4mm Variable Angle Volar Rim Distal Radius Plate, 6 Head Holes, 3 Shaft Holes, Left, Titanium	1
TI-560-06-04L	2.4mm Variable Angle Volar Rim Distal Radius Plate, 6 Head Holes, 4 Shaft Holes, Left, Titanium	1
TI-560-06-05L	2.4mm Variable Angle Volar Rim Distal Radius Plate, 6 Head Holes, 5 Shaft Holes, Left, Titanium	1
TI-560-06-06L	2.4mm Variable Angle Volar Rim Distal Radius Plate, 6 Head Holes, 6 Shaft Holes, Left, Titanium	1
TI-560-06-07L	2.4mm Variable Angle Volar Rim Distal Radius Plate, 6 Head Holes, 7 Shaft Holes, Left, Titanium	1
TI-560-06-08L	2.4mm Variable Angle Volar Rim Distal Radius Plate, 6 Head Holes, 8 Shaft Holes, Left, Titanium	1
	2.4mm Variable Angle Volar Rim Distal Radius Plate, (6 Head Holes), Right, Titanium	
TI-560-06-03R	2.4mm Variable Angle Volar Rim Distal Radius Plate, 6 Head Holes, 3 Shaft Holes, Right, Titanium	1
TI-560-06-04R	2.4mm Variable Angle Volar Rim Distal Radius Plate, 6 Head Holes, 4 Shaft Holes, Right, Titanium	1
TI-560-06-05R	2.4mm Variable Angle Volar Rim Distal Radius Plate, 6 Head Holes, 5 Shaft Holes, Right, Titanium	1
TI-560-06-06R	2.4mm Variable Angle Volar Rim Distal Radius Plate, 6 Head Holes, 6 Shaft Holes, Right, Titanium	1
TI-560-06-07R	2.4mm Variable Angle Volar Rim Distal Radius Plate, 6 Head Holes, 7 Shaft Holes, Right, Titanium	1
TI-560-06-08R	2.4mm Variable Angle Volar Rim Distal Radius Plate, 6 Head Holes, 8 Shaft Holes, Right, Titanium	1
	2.4mm Variable Angle Volar Rim Distal Radius Plate, (7 Head Holes), Left, Titanium	
TI-560-07-03L	2.4mm Variable Angle Volar Rim Distal Radius Plate, 7 Head Holes, 3 Shaft Holes, Left, Titanium	1
TI-560-07-04L	2.4mm Variable Angle Volar Rim Distal Radius Plate, 7 Head Holes, 4 Shaft Holes, Left, Titanium	1
TI-560-07-05L	2.4mm Variable Angle Volar Rim Distal Radius Plate, 7 Head Holes, 5 Shaft Holes, Left, Titanium	1
TI-560-07-06L	2.4mm Variable Angle Volar Rim Distal Radius Plate, 7 Head Holes, 6 Shaft Holes, Left, Titanium	1
TI-560-07-07L	2.4mm Variable Angle Volar Rim Distal Radius Plate, 7 Head Holes, 7 Shaft Holes, Left, Titanium	1
TI-560-07-08L	2.4mm Variable Angle Volar Rim Distal Radius Plate, 7 Head Holes, 8 Shaft Holes, Left, Titanium	1
	2.4mm Variable Angle Volar Rim Distal Radius Plate, (7 Head Holes), Right, Titanium	
TI-560-07-03R	2.4mm Variable Angle Volar Rim Distal Radius Plate, 7 Head Holes, 3 Shaft Holes, Right, Titanium	1
TI-560-07-04R	2.4mm Variable Angle Volar Rim Distal Radius Plate, 7 Head Holes, 4 Shaft Holes, Right, Titanium	1
TI-560-07-05R	2.4mm Variable Angle Volar Rim Distal Radius Plate, 7 Head Holes, 5 Shaft Holes, Right, Titanium	1
TI-560-07-06R	2.4mm Variable Angle Volar Rim Distal Radius Plate, 7 Head Holes, 6 Shaft Holes, Right, Titanium	1
TI-560-07-07R	2.4mm Variable Angle Volar Rim Distal Radius Plate, 7 Head Holes, 7 Shaft Holes, Right, Titanium	1
TI-560-07-08R	2.4mm Variable Angle Volar Rim Distal Radius Plate, 7 Head Holes, 8 Shaft Holes, Right, Titanium	1
	Aiming Block For Variable Angle Volar Rim Distal Radius Plate, (6 Head Hole), Titanium	
TI-651-06L	Aiming Block For Variable Angle Volar Rim Distal Radius Plate, 6 Head Holes, Left, Titanium	2
TI-651-06R	Aiming Block For Variable Angle Volar Rim Distal Radius Plate, 6 Head Holes, Right, Titanium	2
	Aiming Block For Variable Angle Volar Rim Distal Radius Plate, (7 Head Hole), Titanium	
TI-651-07L	Aiming Block For Variable Angle Volar Rim Distal Radius Plate, 7 Head Holes, Left, Titanium	2
TI-651-07R	Aiming Block For Variable Angle Volar Rim Distal Radius Plate, 7 Head Holes, Right, Titanium	2
	Aiming Block Drill Sleeve	
TI-650-01	Aiming Block Drill Sleeve	2
	Aiming Block Screw	
TI-650-02	Aiming Block Screw	5



SCREWS COMPOSITION

Code	Item Description	Unit
	2.4mm Variable Angle Angle Screws, Self-Tapping, (Star Head), Titanium	
TI-549.006	2.4mm Variable Angle Angle Screws, Self-Tapping, (Star Head), Length 6mm, Titanium	6
TI-549.008	2.4mm Variable Angle Angle Screws, Self-Tapping, (Star Head), Length 8mm, Titanium	6
TI-549.010	2.4mm Variable Angle Angle Screws, Self-Tapping, (Star Head), Length 10mm, Titanium	6
TI-549.012	2.4mm Variable Angle Angle Screws, Self-Tapping, (Star Head), Length 12mm, Titanium	6
TI-549.014	2.4mm Variable Angle Angle Screws, Self-Tapping, (Star Head), Length 14mm, Titanium	6
TI-549.016	2.4mm Variable Angle Angle Screws, Self-Tapping, (Star Head), Length 16mm, Titanium	6
TI-549.018	2.4mm Variable Angle Angle Screws, Self-Tapping, (Star Head), Length 18mm, Titanium	6
TI-549.020	2.4mm Variable Angle Angle Screws, Self-Tapping, (Star Head), Length 20mm, Titanium	6
TI-549.022	2.4mm Variable Angle Angle Screws, Self-Tapping, (Star Head), Length 22mm, Titanium	6
TI-549.024	2.4mm Variable Angle Angle Screws, Self-Tapping, (Star Head), Length 24mm, Titanium	6
TI-549.026	2.4mm Variable Angle Angle Screws, Self-Tapping, (Star Head), Length 26mm, Titanium	6
TI-549.028	2.4mm Variable Angle Angle Screws, Self-Tapping, (Star Head), Length 28mm, Titanium	6
TI-549.030	2.4mm Variable Angle Angle Screws, Self-Tapping, (Star Head), Length 30mm, Titanium	6
	2.4mm Wise-Lock Screw, Self-Tapping, (Star Head), Titanium	
TI-1145.06	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 6mm, Titanium	6
TI-1145.08	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 8mm, Titanium	6
TI-1145.10	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 10mm, Titanium	6
TI-1145.12	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 12mm, Titanium	6
TI-1145.14	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 14mm, Titanium	6
TI-1145.16	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 16mm, Titanium	6
TI-1145.18	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 18mm, Titanium	6
TI-1145.20	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 20mm, Titanium	6
TI-1145.22	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 22mm, Titanium	6
TI-1145.24	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 24mm, Titanium	6
TI-1145.26	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 26mm, Titanium	6
TI-1145.28	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 28mm, Titanium	6
TI-1145.30	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 30mm, Titanium	6
	2.4mm Cortical Screws, Self-Tapping, (Star Head), Titanium	
TI-1144.06	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 6mm, Titanium	3
TI-1144.08	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 8mm, Titanium	3
TI-1144.10	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 10mm, Titanium	3
TI-1144.12	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 12mm, Titanium	3
TI-1144.14	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 14mm, Titanium	3
TI-1144.16	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 16mm, Titanium	3
TI-1144.18	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 18mm, Titanium	3
TI-1144.20	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 20mm, Titanium	3
TI-1144.22	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 22mm, Titanium	3
TI-1144.24	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 24mm, Titanium	3
TI-1144.26	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 26mm, Titanium	3
TI-1144.28	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 28mm, Titanium	3
TI-1144.30	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 30mm, Titanium	3



SCREWS COMPOSITION

Code	Item Description	Unit
	2.7mm Cortical Screws, Self-Tapping, (Star Head), Titanium	
TI-1242.06	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 6mm, Titanium	3
TI-1242.08	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 8mm, Titanium	3
TI-1242.10	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 10mm, Titanium	3
TI-1242.12	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 12mm, Titanium	3
TI-1242.14	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 14mm, Titanium	3
TI-1242.16	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 16mm, Titanium	3
TI-1242.18	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 18mm, Titanium	3
TI-1242.20	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 20mm, Titanium	3
TI-1242.22	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 22mm, Titanium	3
TI-1242.24	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 24mm, Titanium	3
TI-1242.26	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 26mm, Titanium	3
TI-1242.28	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 28mm, Titanium	3
TI-1242.30	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 30mm, Titanium	3
10-050	Implant Box with cover for 2.4mm Variable Angle Volar Rim Distal Radius System	1



IMPLANT COMPOSITION

Code	Item Description	Unit
	2.4mm Variable Angle Volar Rim Distal Radius Plate, 6 Head Holes, Left, Stainless Steel	
560-06-03L	2.4mm Variable Angle Volar Rim Distal Radius Plate, 6 Head Holes, 3 Shaft Holes, Left, Stainless Steel	1
560-06-04L	2.4mm Variable Angle Volar Rim Distal Radius Plate, 6 Head Holes, 4 Shaft Holes, Left, Stainless Steel	1
560-06-05L	2.4mm Variable Angle Volar Rim Distal Radius Plate, 6 Head Holes, 5 Shaft Holes, Left, Stainless Steel	1
560-06-06L	2.4mm Variable Angle Volar Rim Distal Radius Plate, 6 Head Holes, 6 Shaft Holes, Left, Stainless Steel	1
560-06-07L	2.4mm Variable Angle Volar Rim Distal Radius Plate, 6 Head Holes, 7 Shaft Holes, Left, Stainless Steel	1
560-06-08L	2.4mm Variable Angle Volar Rim Distal Radius Plate, 6 Head Holes, 8 Shaft Holes, Left, Stainless Steel	1
	2.4mm AV-Wiselock Distal Radius Volar Plate, Extra-articular, 6 Head Holes, Right, Stainless Steel	
560-06-03R	2.4mm Variable Angle Volar Rim Distal Radius Plate, 6 Head Holes, 3 Shaft Holes, Right, Stainless Steel	1
560-06-04R	2.4mm Variable Angle Volar Rim Distal Radius Plate, 6 Head Holes, 4 Shaft Holes, Right, Stainless Steel	1
560-06-05R	2.4mm Variable Angle Volar Rim Distal Radius Plate, 6 Head Holes, 5 Shaft Holes, Right, Stainless Steel	1
560-06-06R	2.4mm Variable Angle Volar Rim Distal Radius Plate, 6 Head Holes, 6 Shaft Holes, Right, Stainless Steel	1
560-06-07R	2.4mm Variable Angle Volar Rim Distal Radius Plate, 6 Head Holes, 7 Shaft Holes, Right, Stainless Steel	1
560-06-08R	2.4mm Variable Angle Volar Rim Distal Radius Plate, 6 Head Holes, 8 Shaft Holes, Right, Stainless Steel	1
	2.4mm Variable Angle Volar Rim Distal Radius Plate, 7 Head Holes, Left, Stainless Steel	
560-07-03L	2.4mm Variable Angle Volar Rim Distal Radius Plate, 7 Head Holes, 3 Shaft Holes, Left, Stainless Steel	1
560-07-04L	2.4mm Variable Angle Volar Rim Distal Radius Plate, 7 Head Holes, 4 Shaft Holes, Left, Stainless Steel	1
560-07-05L	2.4mm Variable Angle Volar Rim Distal Radius Plate, 7 Head Holes, 5 Shaft Holes, Left, Stainless Steel	1
560-07-06L	2.4mm Variable Angle Volar Rim Distal Radius Plate, 7 Head Holes, 6 Shaft Holes, Left, Stainless Steel	1
560-07-07L	2.4mm Variable Angle Volar Rim Distal Radius Plate, 7 Head Holes, 7 Shaft Holes, Left, Stainless Steel	1
560-07-08L	2.4mm Variable Angle Volar Rim Distal Radius Plate, 7 Head Holes, 8 Shaft Holes, Left, Stainless Steel	1
	2.4mm Variable Angle Volar Rim Distal Radius Plate, 7 Head Holes, Right, Stainless Steel	
560-07-03R	2.4mm Variable Angle Volar Rim Distal Radius Plate, 7 Head Holes, 3 Shaft Holes, Right, Stainless Steel	1
560-07-04R	2.4mm Variable Angle Volar Rim Distal Radius Plate, 7 Head Holes, 4 Shaft Holes, Right, Stainless Steel	1
560-07-05R	2.4mm Variable Angle Volar Rim Distal Radius Plate, 7 Head Holes, 5 Shaft Holes, Right, Stainless Steel	1
560-07-06R	2.4mm Variable Angle Volar Rim Distal Radius Plate, 7 Head Holes, 6 Shaft Holes, Right, Stainless Steel	1
560-07-07R	2.4mm Variable Angle Volar Rim Distal Radius Plate, 7 Head Holes, 7 Shaft Holes, Right, Stainless Steel	1
560-07-08R	2.4mm Variable Angle Volar Rim Distal Radius Plate, 7 Head Holes, 8 Shaft Holes, Right, Stainless Steel	1
	Aiming Block For Variable Angle Volar Rim Distal Radius Plate, 6 Head Hole, Stainless Steel	
651-06L	Aiming Block For Variable Angle Volar Rim Distal Radius Plate, 6 Head Holes, Left, Stainless Steel	2
651-06R	Aiming Block For Variable Angle Volar Rim Distal Radius Plate, 6 Head Holes, Right, Stainless Steel	2
	Aiming Block For Variable Angle Volar Rim Distal Radius Plate, 7 Head Hole, Stainless Steel	
651-07L	Aiming Block For Variable Angle Volar Rim Distal Radius Plate, 7 Head Holes, Left, Stainless Steel	2
651-07R	Aiming Block For Variable Angle Volar Rim Distal Radius Plate, 7 Head Holes, Right, Stainless Steel	2
	Aiming Block Drill Sleeve	
650-01	Aiming Block Drill Sleeve	2
	Aiming Block Screw	
650-02	Aiming Block Screw	5



SCREWS COMPOSITION

Code	Item Description	Unit
	2.4mm Variable Angle Angle Screws, Self-Tapping, (Star Head), Stainless Steel	
549.006	2.4mm Variable Angle Angle Screws, Self-Tapping, (Star Head), Length 6mm, Stainless Steel	6
549.008	2.4mm Variable Angle Angle Screws, Self-Tapping, (Star Head), Length 8mm, Stainless Steel	6
549.010	2.4mm Variable Angle Angle Screws, Self-Tapping, (Star Head), Length 10mm, Stainless Steel	6
549.012	2.4mm Variable Angle Angle Screws, Self-Tapping, (Star Head), Length 12mm, Stainless Steel	6
549.014	2.4mm Variable Angle Angle Screws, Self-Tapping, (Star Head), Length 14mm, Stainless Steel	6
549.016	2.4mm Variable Angle Angle Screws, Self-Tapping, (Star Head), Length 16mm, Stainless Steel	6
549.018	2.4mm Variable Angle Angle Screws, Self-Tapping, (Star Head), Length 18mm, Stainless Steel	6
549.020	2.4mm Variable Angle Angle Screws, Self-Tapping, (Star Head), Length 20mm, Stainless Steel	6
549.022	2.4mm Variable Angle Angle Screws, Self-Tapping, (Star Head), Length 22mm, Stainless Steel	6
549.024	2.4mm Variable Angle Angle Screws, Self-Tapping, (Star Head), Length 24mm, Stainless Steel	6
549.026	2.4mm Variable Angle Angle Screws, Self-Tapping, (Star Head), Length 26mm, Stainless Steel	6
549.028	2.4mm Variable Angle Angle Screws, Self-Tapping, (Star Head), Length 28mm, Stainless Steel	6
549.030	2.4mm Variable Angle Angle Screws, Self-Tapping, (Star Head), Length 30mm, Stainless Steel	6
	2.4mm Wise-Lock Screw, Self-Tapping, (Star Head), Stainless Steel	
1145.06	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 6mm, Stainless Steel	6
1145.08	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 8mm, Stainless Steel	6
1145.10	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 10mm, Stainless Steel	6
1145.12	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 12mm, Stainless Steel	6
1145.14	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 14mm, Stainless Steel	6
1145.16	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 16mm, Stainless Steel	6
1145.18	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 18mm, Stainless Steel	6
1145.20	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 20mm, Stainless Steel	6
1145.22	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 22mm, Stainless Steel	6
1145.24	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 24mm, Stainless Steel	6
1145.26	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 26mm, Stainless Steel	6
1145.28	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 28mm, Stainless Steel	6
1145.30	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 30mm, Stainless Steel	6
	2.4mm Cortical Screws, Self-Tapping, (Star Head), Stainless Steel	
1144.06	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 6mm, Stainless Steel	3
1144.08	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 8mm, Stainless Steel	3
1144.10	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 10mm, Stainless Steel	3
1144.12	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 12mm, Stainless Steel	3
1144.14	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 14mm, Stainless Steel	3
1144.16	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 16mm, Stainless Steel	3
1144.18	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 18mm, Stainless Steel	3
1144.20	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 20mm, Stainless Steel	3
1144.22	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 22mm, Stainless Steel	3
1144.24	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 24mm, Stainless Steel	3
1144.26	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 26mm, Stainless Steel	3
1144.28	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 28mm, Stainless Steel	3
1144.30	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 30mm, Stainless Steel	3



SCREWS COMPOSITION

Code	Item Description	Unit
	2.7mm Cortical Screws, Self-Tapping, (Star Head), Stainless Steel	
1242.06	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 6mm, Stainless Steel	3
1242.08	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 8mm, Stainless Steel	3
1242.10	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 10mm, Stainless Steel	3
1242.12	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 12mm, Stainless Steel	3
1242.14	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 14mm, Stainless Steel	3
1242.16	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 16mm, Stainless Steel	3
1242.18	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 18mm, Stainless Steel	3
1242.20	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 20mm, Stainless Steel	3
1242.22	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 22mm, Stainless Steel	3
1242.24	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 24mm, Stainless Steel	3
1242.26	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 26mm, Stainless Steel	3
1242.28	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 28mm, Stainless Steel	3
1242.30	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 30mm, Stainless Steel	3
10-050	Implant Box with cover for 2.4mm Variable Angle Volar Rim Distal Radius System	1